
Add a new Bundle and Feature



Sometimes it is necessary to add a new bundle to odysseus, e.g. for new functionality that is not covered yet or does not fit into other bundles.



	📸 Tai	New					Reload Target Pl
ysseus_d		Select a wizar	d				iteload larger Pi
	Target Enter a	Create a Plug-	in Project				
	Odys	Wizards:					
		type filter text					
	Location The fo	🗸 🍃 Plug-ii	n Development			^	
luct	_		tegory Definition				
	~ •		mponent Definition ension Point Schema				olug-ins available 🧭
			ture Patch				
			sture Project				
	~ •	😽 Fra	gment Project Ig-in from Existing JAF	Archives			releases/ 461 plug-
			ig-in Project				
lysseus_d	<		duct Configuration				>
	<u>She</u>		get Definition date Site Project				
	Conte						-
	The						antains additional se
	< inclu	?					ontains additional se
906691	Definitic	(P)	< Back	Next >	Finish	Cancel	,
	0 items Plug-in Proj		get Platform State	- 0	×		
Plug-in l	0 items Plug-in Proj	ect	get Platform State		×		
Plug-in I Create a	0 items Plug-in Proj Project new plug-i	ect n project		ľ	×		
Plug-in I Create a Project r	0 items Plug-in Proj Project new plug-in name: de.e	ect n project miel inf is odysseu	get Platform State	ľ	×		
Plug-in I Create a Project r	0 items Plug-in Proj Project new plug-i neme: dea gefault loca	ect n project uniol inf is, odysseu tian	s.8utorial.compleonumb	er	*		
Plug-in I Create a Project r Use Location	0 items Plug-in Project new plug-in name: de.o gefault loca n: Fr\git\oo	ect n project uniol inf is, odysseu tian		er	*		
Plug-in I Create a Project i Location Project	0 items Plug-in Project new plug-in name: de.a gefault loca n Fl.gifton Settings	ect n project uniol.inf.is.odysseu tion lysseustutorial/ser	s.8utorial.compleonumb	er	*		
Plug-in I Create a Project i Use Location Project	0 items Plug-in Project new plug-in name: de.r glefault loca n: Frigition Settings te a java pro	ect n project iniol inf is odysseu tion lysseustutorialliser sject	s.8utorial.compleonumb	er	*		
Plug-in I Create a Project o Location Project Project Se	0 items Plug-in Proj Project new plug-i name: dea gefault loca n Fligition Settings te a java pro ource folder	ect in project inici inf is odysseu tion lysseustrutorialiser sject gec	s.8utorial.compleonumb	er	*		
Plug-in I Create a Project r Use Location Project St O	0 items Plug in Proj Project new plug-i name: de.a gefault loca n Frigition Settings ite a java pro ource folder systeut folder	ect in project inici inf is odysseu tion lysseustrutorialiser sject gec	s.8utorial.compleonumb	er	*		
Plug-in I Create a Project r Use Location Project Se O Target I	0 items Plug-in Project Innew plug-in name: de.i gefault loca Ref Frighton Settings Ite a java pro ource folder jutput folden Platform	ect in project inici inf is odysseu tion lysseustrutorialiser sject gec	s.8utorial.compleonumb	er	*		
Plug-in I Create a Project o Location Project Project St O Target I This plu	0 items Plug-in Project Innew plug-in name: de.i gefault loca Ref Frighton Settings Ite a java pro ource folder jutput folden Platform	ect a project in organization inf is, odysseu tion fysouchutorialiser isc isc isc isc isc isc isc is	s.8utorial.compleonumb	er	*		
Plug-in I Create a Project o Location Project Decation St O Target I This plu	0 items Plug-in Prej Project new plug-i new plug-i gefault loca (Frigition Settings to Java pro ource folder lytput folder Platform ag-in is targ) Eclipse ver	ect a project in organization inf is, odysseu tion fysouchutorialiser isc isc isc isc isc isc isc is	stuterial.complexnumb ref.tutorial.complexnum gester ==	er	*		
Plug-in I Create a Project o Location Project Decation St O Target I This plu	0 items Plug-in Project new plug-in new plug-in mere plug-in gefault locar N FAgitor Settings te a Java pro- ource folder upput folder Platform upp-in is targ 0 Eclipse ver 0 an OSG if is	ect project inicial file.codysseu files project procedulors proc	stuterial.complexnumb ref.tutorial.complexnum gester ==	er	*		
Plug-in 1 Create a Project o Use Location Project St O Target 1 This plu	0 items Project new plug-in name: dea default loca n Frigition Settings te a java pro- ource folder platform ag-in is targ) Eclipse ver) an OSG ifs g sets	ect project inicial file.codysseu files project procedulors proc	stuterial.complexnumb ref.tutorial.complexnum gester ==	er iber Bijow			
Plug-in 1 Create a Project of Use Location Project Project St O Target 1 This plo C C C C C C C C C C C C C C C C C C C	0 items Project new plug-in name: dea default loca n Frighton Settings te a java prino ource folder Platform ug-in is targ 0) Eclipse ver 0) an OSG ifs g stsjet to deroject to	ect n project tion tion jyseustutoria/iser jyseustutoria/iser tion text to run withe tion at or run withe tion text to run withe text to	stuterial.complexnumb ref.tutorial.complexnum gester ==	er			
Plug-in 1 Create a Project of Use Location Project Project St O Target 1 This plo C C C C C C C C C C C C C C C C C C C	0 items Project new plug-in name: dea default loca n Frigition Settings te a java pro- ource folder platform ag-in is targ) Eclipse ver) an OSG ifs g sets	ect n project tion tion jyseustutoria/iser jyseustutoria/iser tion text to run withe tion at or run withe tion text to run withe text to	stuterial.complexnumb ref.tutorial.complexnum gester ==	er iber Bijow			
Plug-in 1 Create a Project of Use Location Project Project St O Target 1 This plo C C C C C C C C C C C C C C C C C C C	0 items Project new plug-in name: dea default loca n Frighton Settings te a java prino ource folder Platform ug-in is targ 0) Eclipse ver 0) an OSG ifs g stsjet to deroject to	ect n project tion tion jyseustutoria/iser jyseustutoria/iser tion text to run withe tion at or run withe tion text to run withe text to	stuterial.complexnumb ref.tutorial.complexnum gester ==	er iber Bijow			

Create name (must be unique inside an Odysseus installation!)

Location:


Recommendation: Place bundle in one of the given subfolders:

- common: For shared classes between client and server
- client: Only for client, dependency only to common & resources
- monolithic: client and server together (no remote working)
- server: server components, dep. only to common & resources
- wrapper: special server component, dependencies to common, resources, server allowed

• resources: place resources not available on target platform here

Use standard OSGi framework

New Plug-in Project			
intent			
nter the data required to	o generate the plug-in.		
Properties			
D:	de.uniol.inf.is.odysseus.tut	orial.complexnumb	er
fersion:	1.0.0.qualifier		
Names	Complexnumber		
/englon			v
Execution Environment	JavaSE-1.8	\sim	Environments
Generate an activator Activator: desuniol	r, a Java class that controls th inf.is.odysseus.tutorial.comp		
Activitor: deuniol This plug-in will make			
Generate an activator Activator: desuniol	inf.is.odysseus.tutorial.comp		
Generate an activator Activator: decuniol This plug-in will make	inf.is.odysseus.tutorial.comp		
Generate an activator Activator: decuniol This plug-in will make	inf.is.odysseus.tutorial.comp		
Generate an activator Activator: decuniol This plug-in will make	inf.is.odysseus.tutorial.comp		
Generate an activator Activator: decuniol This plug-in will make	inf.is.odysseus.tutorial.comp		
Generate an activator Activator: decuniol This plug-in will make	inf.is.odysseus.tutorial.comp		
Generate an activator Activator: decuniol This plug-in will make	inf.is.odysseus.tutorial.comp		
Generate an activator Activator: decuniol This plug-in will make	inf.is.odysseus.tutorial.comp		



New Feature			×
Feature Properties Define properties that w	ill be placed in the feature.xml file		7
Project name: de.unio	l.inf.is.odysseus.tutorial.feature		
Location: F:\git\odyss	eustutorial\server\tutorial.feature	Browse	•
Feature properties			_
Feature <u>I</u> D:	de.uniol.inf.is.odysseus.tutorial.feature	 	
Feature Name:	Tutorial Feature		
Feature Version:	1.0.0.qualifier		
Feature Vendo <u>r</u> :			\sim
Install Handler Library:			
?	< <u>B</u> ack <u>N</u> ext > <u>F</u> inish	Cance	I

New Feature —		×
Referenced Plug-ins and Fragments	æ	
Select the plug-ins and fragments from your workspace to package into the new feature.	ne	7
tutorial 🖉	Select A	П
🗹 🕼 de.uniol.inf.is.odysseus.tutorial.complexnumber (1.0.0.qualifi	Deselect	All
	Se <u>l</u> ect	
	Deselec	t
< >		
l of 1415 selected.		
(?) < Back Next > Einish	Cance	4
	cunce	

 odysseustutorial - de.uniol.inf.is.odysseus.tutorial.fea 					- 🗆 ×	
Eile Edit Navigate Search Project Run Window						
□ - □ □ + - 0 - 0 -			-		Quick Access	
Project Explorer 😫 🂲 Plug-ins 😐 🗆	🚷 platform.target 🛛 🚷 de.uniol.inf.is.odys	🗟 de.uniol.inf.is.odys	🖞 Odysseus Studio 2 (1	M 🛛 🗖 🗖	BE Outline 🕴 🗐 Task List 😐 🗖	
🖹 🖏 🗊 🗸	Secontents		0 • *	\$ • 📮 🐔 🕐	Dverview	
> Car icons	Features			✓ ☐ Contents		
> 🔄 META-INF	List the features that constitute the product. Nester	d features need not be listed	· _	de.uniol.inf.is.odysseus.client.p de.uniol.inf.is.odysseus.monol		
👩 Odysseus Studio 2 (Client).product					4 de.uniol.inf.is.odysseus.latency	
Odysseus Studio 2 (Monolithic).product p.2.inf	de.uniol.inf.is.odysseus.client.platform.feature de.uniol.inf.is.odysseus.monolithic.feature				de.uniol.inf.is.odysseus.priority & de.uniol.inf.is.odysseus.keyvalu	
plugin_customization.ini	de.unioLinf.is.odysseus.latency.feature				 de.unioLinf.is.odysseus.keyvak de.unioLinf.is.odysseus.parser. 	
plugin.xml	Results of the second secon	lastura		Remove	de.uniol.inf.is.odysseus.parser.	
eg splash_small.bmp eg splash_small.png	de.uniol.inf.is.odysseus.parser.cql2.feature	reature		Remove All	Configuration	
splash.bmp	de.uniol.inf.is.odysseus.parser.cql2.ui.feature			Properties	Splash	
 splash.cpt de.uniol.inf.is.odysseus.server.starter [odysseu 				Up	Branding Customization	
> M JRE System Library [jre1.8.0_181]				Down	Licensing	
> >> Plug-in Dependencies > (2) src			L	Down	Dpdates	
> Ca icons						
> 🈂 META-INF						
Odysseus Server.product						
plugin.xml						
 W > de.uniol.inf.is.odysseus.tutorial.complexnur > M JRE System Library [JavaSE-1.8] 				fotal: 7		
> 🥭 src	Qverview Contents Configuration Launching Spl	ash Branding Customizatio	on Licensing Updates		< > >	
Preserver	Problems 23 Target Platform State				3 2 7 9 8	
build.properties	Problems 23 all larget Platform State				19 I P	
 build.properties 	Description	Resource Path	Location	Type		
A feature.aml						
Odysseus Studio 2 (Monolithic).product Interpretation (odysseus_dev_master b390bb9)						
% platform.target						
< >						
					🐴 📖 ≢ 🗡 🚳	
Feature Selection			- 0	× Is	s Contents	
Feature Selection			- U	^ 3	s contents	
Enter an ID of a feature, or a plug-	in contained by a feature ('?' and '	*' are supported):		▼ F	eatures	
tutor				- 11	ist the features that constitu	te the product. Nested features need not be listed.
						te the product. Nested reatines need not be isted.
Matching items:					logical de.uniol.inf.is.odysseus.	
🖗 de.uniol.inf.is.odysseus.tutori	al.feature (1.0.0.qualifier)				🚯 de.uniol.inf.is.odysseus.	monolithic.feature
					de.uniol.inf.is.odysseus.	latency.feature
					te.uniol.inf.is.odysseus.	
						keyvalue.datahandler.feature
						-
					de.uniol.inf.is.odysseus.	
					de.uniol.inf.is.odysseus.	
					Image: A state of the state	tutorial.feature (1.0.0.qualifier)

OK Cancel

Feature 'de.uniol.inf.is.odysseus.tutorial.feature'.

?

○ • ☆ • 戸 😭 (

🚱 Ja
Add
Add Required

Remove All
Properties...
Up
Down