

SimpleCSV protocol handler

This handler is similar to [CSV](#). This handler does not treat escaping of the delimiter (e.g. by quotes or backslash). If needed use CSV. A string array is send to the data handler.

Options

- **delay**: Delay of reading in milliseconds (default 0). DEPRECATED: use `scheduler.delay` instead if not used together with `delayeach`
- **nanodelay**: Delay of reading in nanoseconds (default 0).
- **delayeach**: The number of lines between a delay is used (default 0).
- **readfirstline**: Should the first line of the file be ignored (e.g. because of header information) (default: true)
- **debug**: If set to true, some additional thinks are available: (default false)
- **dumpEachLine**: Dumps lines to the console. if set to 1 each line will be dumped
- **measureEachLine**: Measures the processing time between n elements that are dumped
- **lastLine/maxLines**: Stop processing after n elements are read
- **csv.delimiter**: The delimiter for splitting the input (Default: ,).
- **addlinenumber**: Adds the line number (starting with 0) to the beginning of the line. Remember to add a proper attribute to the schema! (default false).
- **csv.floatingFormatter**: If used for writing, each double/float value will be formatted using this formatter (default null).
- **csv.numgerFormatter**: If used for writing, each number other than double/float value will be formatted using this formatter (default null).
- **csv.writeMetadata**: Should metadata be written? (default false)
- **csv.trim**: Removes leading and trailing whitespaces in each element (default false)