

# Matrix Functions

To use these functions, the Matrix Feature is required.

The matrix feature provides arbitrary functions to work with matrices in a data stream and provides algebraic operator (+, \*, -, ^) to perform matrix addition, subtraction, multiplication, and exponentiation. In addition, the algebraic operators can be used for per element operation.

| Matrix Example                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <pre>SELECT [1.0,2.0,3.0;4.0,5.0,6.0]+[1.0,2.0,3.0;4.0,5.0,6.0] FROM stream =&gt; [2.0,4.0,6.0;8.0,10.0,12.0] SELECT [1.0,2.0,3.0;4.0,5.0,6.0]-[1.0,1.0,1.0;2.0,2.0,2.0] FROM stream =&gt; [0.0,1.0,2.0;2.0,3.0,4.0] SELECT [1.0,2.0,3.0;4.0,5.0,6.0]*[1.0,2.0;3.0,4.0;5.0,6.0] FROM stream =&gt; [22.0,28.0;49.0,64.0] SELECT [1.0,2.0,3.0;4.0,5.0,6.0]+2 FROM stream =&gt; [3.0,4.0,5.0;6.0,7.0,8.0] SELECT [1.0,2.0,3.0;4.0,5.0,6.0]-2 FROM stream =&gt; [-1.0,0.0,1.0;2.0,3.0,4.0] SELECT [1.0,2.0,3.0;4.0,5.0,6.0]*2 FROM stream =&gt; [2.0,4.0,6.0;8.0,10.0,12.0] SELECT [1.0,2.0,3.0;4.0,5.0,6.0]/2 FROM stream =&gt; [0.5,1.0,1.5;2.0,2.5,3.0] SELECT [1.0,2.0;3.0,4.0]^3 FROM stream =&gt; [37.0,54.0;81.0,118.0]</pre> |

- [Ones\(Number n, Number m\)](#)
- [Zeros\(Number n, Number m\)](#)
- [Tr\(Matrix m\)](#)
- [Det\(Matrix m\)](#)
- [Perm\(Matrix m\)](#)
- [Inv\(Matrix m\)](#)
- [Trans\(Matrix m\)](#)
- [Identity\(Number n\)](#)
- [Eig\(Matrix m\)](#)
- [IEig\(Matrix m\)](#)
- [SVD\(Matrix m\)](#)
- [Perms\(Vector v\)](#)
- [SubMatrix\(Matrix m, Number startRow, Number endRow, Number startColumn, Number endColumn\)](#)
- [Min\(Matrix|Vector m\)](#)
- [Max\(Matrix|Vector m\)](#)
- [Count\(Matrix|Vector m\)](#)
- [Sum\(Matrix|Vector m\)](#)
- [AVG\(Matrix|Vector m\)](#)
- [Median\(Matrix|Vector m\)](#)
- [StdDev\(Matrix|Vector m\)](#)
- [Var\(Matrix|Vector m\)](#)
- [ReadMatrix\(String path\)](#)
- [ReadVector\(String path, \[int row\]\)](#)

## Ones(Number n, Number m)

Returns an n-by-m matrix of ones.

## Zeros(Number n, Number m)

Returns an n-by-m matrix of zeros.

## Tr(Matrix m)

Returns the trace of the matrix m.

## Det(Matrix m)

Returns the determinant of the matrix m.

## Perm(Matrix m)

Returns the permanent of the matrix m.

## Inv(Matrix m)

Returns the inverse of the matrix m.

## Trans(Matrix m)

Returns the transpose of the matrix m.

## Identity(Number n)

Returns an n-by-n identity matrix.

## Eig(Matrix m)

Returns the eigenvalues of the matrix m.

## IEig(Matrix m)

Returns the imaginary parts of the eigenvalues of the matrix m.

## **SVD(Matrix m)**

Returns the singular values of the matrix m.

## **Perms(Vector v)**

Returns a matrix containing all permutations of the elements of vector v.

## **SubMatrix(Matrix m, Number startRow, Number endRow, Number startColumn, Number endColumn)**

Returns the submatrix of the given matrix starting at row StartRow and column StartColumn to EndRow and EndColumn (inclusive)

## **Min(Matrix|Vector m)**

Returns the minimum element in the matrix/vector m.

## **Max(Matrix|Vector m)**

Returns the maximum element in the matrix/vector m.

## **Count(Matrix|Vector m)**

Counts all elements in the matrix/vector m.

## **Sum(Matrix|Vector m)**

Returns the sum of all elements in the matrix/vector m.

## **AVG(Matrix|Vector m)**

Returns the average of all elements in the matrix/vector m.

## **Median(Matrix|Vector m)**

Returns the median of all elements in the matrix/vector m.

## **StdDev(Matrix|Vector m)**

Returns the standard deviation of all elements in the matrix/vector m.

## **Var(Matrix|Vector m)**

Returns the variance of all elements in the matrix/vector m.

## **ReadMatrix(String path)**

Reads a matrix from an arbitrary comma separated file.

## **ReadVector(String path, [int row])**

Reads a vector from an arbitrary comma separated file. The optional parameter selects the row (default: 0).